




Wendelin Exanalytics

Hypercube Big Data Center

2014-06-16 – Shanghai



Standard Bay



10 Gbps L2 Switch
Standard Server

IPMI L2 Switch
Management Server

Standard Bay

Standard Server



- **Minimum**

- 2 x 10 Gbps
- 1 x IPMI
- 1 x i7 CPU
- 32 GB RAM
- 1 x 200 GB SSD

- **Typical**

- 2 x 10 Gbps
- 1 x IPMI
- 2 x 6 core Xeon CPU
- 512 GB RAM
- 4 x 1 TB SSD
- 1 x M2090 GPU

CORETO
Abtinnacollehsch



lenovo 联想
inspur 浪潮



WENDELIN

Standard Server




100% open
source

- **GNU/Linux** base OS
- **SlapOS** cloud / orchestrator / billing
- **Babel** low latency routing
- **re6st** address range allocation
- **IPMI** management protocol



银河麒麟
KYLIN



Management Server



- **Minimum**

- **2 x 100 Mbps**
- **1 x IPMI**
- **1 x Atom CPU**
- **1 GB RAM**
- **1 x 16 GB SSD**

- **Typical**

- **2 x 1 Gbps**
- **1 x IPMI**
- **1 x i5 CPU**
- **16 GB RAM**
- **1 x 120 GB SSD**

Management Server




100% open
source

- **GNU/Linux** base OS + router (dhcpd, PXE, iptables)
- **Kadeploy** base OS deployment
- **IPMI** management protocol



LAN Cabling



10 Gbps L2 Switch
Standard Server


IPMI L2 Switch
Management Server

Standard Bay

LAN Configuration


- **Static IPv6 address range**
 - Big Data transfer
- **Non routable IPv4**
 - Base OS deployment

re6st
r e z i s t



KADEPLOY

IPMI Cabling




IPMI Configuration

- **Non routable IPv4**


- IPMI access

KADEPLOY

Recursive Management Topology




Hypercube Cabling




Hypercube Configuration

- **IPv6 Local Link** no configuration
 - **Big Data transfer**



Hypercube Topology



N-dimensional Cube Performance

- **Size:** $N * 2^N$ exponential
- **Max latency:** $O(N)$ minimal
- **Core bandwidth (Gbps):** $O(2^N)$ scalable
- **Storage Size (TB):** $O(N * 2^N)$ exponential
- **Capacity (GFLOPS):** $O(N * 2^N)$ exponential

8-dimensional Cube Performance

- **Size:** $N * 2^N$ 2048 servers
- **Max latency:** $O(N)$ 8 x (10G + kernel latency)
- **Core bandwidth (Gbps):** $10 * 2^N$ 2.560 Tbps
- **Storage Size (TB):** $4 * N * 2^N$ 8192 TB
- **Capacity (GFLOPS):** $500 * N * 2^N$ 1,024,000 GFLOPS

Standard Applications

- **Wendelin (Big Data as a Service)**
- **Kvm (Infrastructure as as Service)**
- **Webrunner (Platform as a Service)**
- **MariaDB / TokuDB (Database)**

Optional Applications open architecture


- **HADOOP (Big Data as a Service)**
- **OpenStack (Infrastructure as as Service)**
- **Mongo (Database)**
- **Cassandra (Database)**
- **PostgreSQL (Database)**
- **etc.**



Wendelin Exanalytics

Hypercube Big Data Center

2014-06-16 – Shanghai





Wendelin Exanalytics *Hypercube Big Data Center*

2014-06-16 – Shanghai




© 2014 Wendelin Project et al. – CC SA-NC

www.wendelin.io



Standard Bay



10 Gbps L2 Switch

Standard Server

IPMI L2 Switch

Management Server

Standard Bay

Standard Server



• Minimum

- 2 x 10 Gbps
- 1 x IPMI
- 1 x i7 CPU
- 32 GB RAM
- 1 x 200 GB SSD

• Typical

- 2 x 10 Gbps
- 1 x IPMI
- 2 x 6 core Xeon CPU
- 512 GB RAM
- 4 x 1 TB SSD
- 1 x M2090 GPU

CORETO
联想浪潮



lenovo 联想
inspur 浪潮




WENDELIN

Standard Server



100% open
source

- **GNU/Linux** base OS  
- **SlapOS** cloud / orchestrator / billing 
- **Babel** low latency routing 
- **re6st** address range allocation 
- **IPMI** management protocol

Management Server



- **Minimum**

- 2 x 100 Mbps
- 1 x IPMI
- 1 x Atom CPU
- 1 GB RAM
- 1 x 16 GB SSD

- **Typical**

- 2 x 1 Gbps
- 1 x IPMI
- 1 x i5 CPU
- 16 GB RAM
- 1 x 120 GB SSD

Management Server




100% open
source

- **GNU/Linux** base OS + router (dhcpd, PXE, iptables)
- **Kadeploy** base OS deployment
- **IPMI** management protocol



LAN Cabling



LAN Configuration


- **Static IPv6 address range**
 - Big Data transfer
- **Non routable IPv4**
 - Base OS deployment

re6st
r e z i s t



KADEPLOY

IPMI Cabling




IPMI Configuration

- **Non routable IPv4**


- IPMI access

KADEPLOY

Recursive Management Topology



Hypercube Cabling




Hypercube Configuration

- **IPv6 Local Link** no configuration
 - Big Data transfer



Hypercube Topology



© 2014 Wendelin Project et al. – CC SA-NC



N-dimensional Cube Performance

- **Size:** $N * 2^N$ exponential
- **Max latency:** $O(N)$ minimal
- **Core bandwidth (Gbps):** $O(2^N)$ scalable
- **Storage Size (TB):** $O(N * 2^N)$ exponential
- **Capacity (GFLOPS):** $O(N * 2^N)$ exponential

8-dimensional Cube Performance

- **Size:** $N * 2^N$ 2048 servers
- **Max latency:** $O(N)$ 8 x (10G + kernel latency)
- **Core bandwidth (Gbps):** $10 * 2^N$ 2.560 Tbps
- **Storage Size (TB):** $4 * N * 2^N$ 8192 TB
- **Capacity (GFLOPS):** $500 * N * 2^N$ 1,024,000 GFLOPS

Standard Applications

- **Wendelin (Big Data as a Service)**
- **Kvm (Infrastructure as as Service)**
- **Webrunner (Platform as a Service)**
- **MariaDB / TokuDB (Database)**

Optional Applications open architecture

- **HADOOP (Big Data as a Service)**
- **OpenStack (Infrastructure as a Service)**
- **Mongo (Database)**
- **Cassandra (Database)**
- **PostgreSQL (Database)**
- **etc.**



Wendelin Exanalytics *Hypercube Big Data Center*

2014-06-16 – Shanghai



re6st
r e z i s t



KADEPLOY

@debian

© 2014 Wendelin Project et al. – CC SA-NC

www.wendelin.io

